AGENDA ITEM HISTORY SHEET

ITEM TITLE	**AGENDA NO.** 5
Resolution 2026-40 GovDeals	**AGENDA DATE:** 8/18/2026

FUNDING CERTIFICATION (Finance Director) (Signature, if applicable)

MANAGEMENT STAFF REVIEW (Signature)

MAYOR (Signature)

ITEM HISTORY (Previous Council reviews, action related to this item, and other pertinent history)

These Air Packs/SCBAs are the ones that were replaced by the SCBAs purchased with the funds from the FEMA grant.

ITEM COMMENTARY (Background discussion, key points, recommendations, etc.) Please identify any or all impacts this proposed action would have on the City budget, personnel resources, and/or residents.

List for Sale on GovDeals • 2013 Scott AP75 Air Packs - NFPA 2007 Standard – 34 air packs in total broken down as follows:
25 Fully functional Air Packs with Regulators
5 Fully functional Air Packs without Regulators
4 Frames for Parts
42 Masks
74 Bottles with 2 years left on the hydrostatic test date (Sept. 2028 expiration)
1 bottle is leaking from the gauge.
1 Box of parts (Regulators needing repair, Consoles)

(This section to be completed by the Mayor)

ACTION PROPOSED (Motion for Consideration)

List the above items, 34 SCBA's on GovDeals for sale.

RESOLUTION NO. _____

A RESOLUTION ALLOWING FOR PUBLIC BIDDING FOR SALE OF EQUIPMENT, VEHICLES, OR OTHER ITEMS AS NAMED IN THIS RESOLUTION ON GOVDEALS

WHEREAS, the City of Bryant finds it necessary for public bidding for sale of equipment, vehicles, and other items;

WHEREAS, the City of Bryant finds it necessary to place equipment, vehicles, or other items out to public bid for sale due to the aforementioned reaching its life expectancy, damage, age, being inoperable, or no longer needed.

WHEREAS, the City of Bryant finds the following equipment, vehicles, or items to be damaged, inoperable, aged, having reached their life expectancy, or no longer needed.

- 2013 Scott AP75 Air Packs - NFPA 2007 Standard – 34 air packs in total broken down as follows:

  25 Fully functional Air Packs with Regulators
  5 Fully functional Air Packs without Regulators
  4 Frames for Parts
  42 Masks
  74 Bottles with 2 years left on the hydrostatic test date (Sept. 2028 expiration)
  1 bottle is leaking from the gauge.
  1 Box of parts (Regulators needing repair, Consoles)

NOW, THEREFORE, BE IT RESOLVED by the City Council of the City of Bryant, Arkansas:

The City of Bryant hereby allows for the public bidding for sale of all equipment, vehicles, or other items listed above on GovDeals that are deemed inoperable, aged, reaching its life expectancy, damaged, or no longer needed.

PASSED and APPROVED this _____ day of_____, 2026.

Approved:

_____
Mayor Chris Treat

Attest:

_____
Mark Smith, City Clerk