ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022

ROAD RUNNER BRYANT - STORE #1043

90% ARCHITECTURAL CDS
06.08.2022

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS
No. LL-2
ARKANSAS
5.6.21

REVISIONS:

90% ARCHITECTURAL CDS
06.08.2022

COVERSHEET
A0.0

6/7/2022 3:06:48 PM

CODE RESEARCH

Applicable Codes:

Building Code: 2012 International Building Code (IBC)
Fire Code: 2012 Arkansas Fire Prevention Code (AFPC) with appendices A, B, C, D, E, F, G
Accessibility Standard: ICC/ANSI A117.1 - 2009 as referenced by the 2012 AFPC, Vol. 2, Ch. 11
Energy Code: 2014 Arkansas Energy Code
Plumbing Code: 2006 Arkansas Plumbing Code with appendices A, B, C, D, E, F, G, H
Mechanical Code: 2010 Arkansas Mechanical Code with appendix A and 2010 revisions
Electrical Code: 2017 National Electrical Code

Building Code Requirements:

Occupancy (309.1) : Group M (Mercantile)
Allowable Area (Table 503): Tabular building area per story in accordance with Table 503 for Group M is 9,000 s.f. (for unsprinkled Type VB construction).
Actual Area: 2,752 s.f.
Construction Type: Type VB Unsprinklered
Fire-Resistance Rating Requirements for Building Elements (Table 601 & 602):


Primary Structural Frame:	0 hr
Exterior Bearing Walls:	0 hr
Interior Bearing Walls:	0 hr
Nonbearing Exterior Walls:	0 hr
Non bearing Interior Walls:	0 hr
Floor Construction:	0 hr
Roof Construction:	0 hr

Interior Wall and Ceiling Finish Requirements by Occupancy (Table 803.9):

Interior Exit Passageways:	A
Corridors:	B
Rooms & Enclosed Spaces:	C

Interior Floor Finish Requirements: See 804.4
Occupant Load (Table 1004.1.2): 35 occupants
Means of Egress Required Capacity based on Occupant Load (1005.3): 6.8 in. total
Size of Doors (1008.1): Minimum of 32 in. clear width
Common Path of Egress Travel (Table 1014.3): The common path of egress travel shall not be greater than 75 ft.
Maximum Occupant Load with One Exit or Exit Access Doorway (Table 1015.1): 49
Exit Access Travel Distance (Table 1016.2): 200 ft.
Corridor Fire-Resistance Rating (Table 1018.1): 1 hr
Minimum Corridor Width (Table 1018.2): 44 in.
Minimum Number of Required Plumbing Fixtures (Table 2902.1):


Water Closets:	1 (1 per 500 occupants)
Lavatories:	1 (1 per 750 occupants)
Drinking Fountains:	0 (According to IPC 410.4 Substitution)
Other:	1 service sink



OCCUPANCY COUNT
420/300 = 1.4
1912/60 = 31.86
260/200 = 1.3
78/300 = 0.26
52/300 = 0.17
SUM = 34.99 -> **35 OCCUPANTS**

2 LIFE SAFETY PLAN
1/8" = 1'-0"

SYMBOL LEGEND



CONSULTANTS

MECHANICAL / ELECTRICAL / PLUMBING

BROWN ENGINEERS

17200 CHENAL PARKWAY
SUITE 300 PMB 324
LITTLE ROCK, AR 72223

(501) 448-0100

STRUCTURAL

ECI

401 W Capitol Ave # 305
Little Rock, AR 72201

(501) 376-3752
(501) 376-7314

CIVIL

JOE WHITE & ASSOCIATES, INC.

25 Rahling Circle, Suite A-2
Little Rock, AR 72223

(501) 214-9141

DRAWING INDEX

A0.0	COVERSHEET
A0.1	PROJECT INFO AND CODE RESEARCH
A1.0	FLOOR PLANS
A1.1	EQUIPMENT PLAN
A3.0	ENLARGED FLOOR PLAN
A4.1	ROOF DETAILS
A5.0	ELEVATIONS & BUILDING SECTIONS
A6.0	WALL SECTIONS
A7.0	INTERIOR ELEVATIONS
A8.0	TYPES & SCHEDULES
A10.0	FINISH PLAN, SCHEDULE, & DETAILS
A10.1	INTERIOR VIEWS

GENERAL NOTES

1. DO NOT SCALE DRAWINGS, WRITTEN DIMENSIONS SHALL ESTABLISH LOCATION OF ALL PARTITIONS. LARGER SCALE DRAWINGS HAVE PRIORITY OVER SMALLER SCALE DRAWINGS. CONTRACTOR TO NOTIFY ARCHITECT OF ANY DISCREPANCIES IN THE DRAWINGS BEFORE PROCEEDING WITH CONSTRUCTION.
2. NOTES TO "ALIGN" SHALL MEAN TO ALIGN FINISHED FACE OF PARTITION UNLESS OTHERWISE NOTED AND SHALL HAVE PRIORITY OVER A DIMENSIONED LOCATION.
3. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING OR METAL BLOCKING AS SHOWN OR AS REQUIRED FOR ATTACHMENT OF WALL MOUNTED HARDWARE, TOILET ACCESSORIES, CASEWORK, MILLWORK, FINISH CARPENTRY AND WHEREVER ELSE IT MAY BE REQUIRED FOR THE SECURE ATTACHMENT OF ADJOINING WORK REFER TO SPECIFICATION SECTION 061000 FOR SPECIFICS ON WOOD BLOCKING.
4. PLAN DIMENSIONS SHOWN ARE TO FACE OF STUD, UNLESS NOTED OTHERWISE ON DETAILS.
5. LIGHT SWITCHES MAY BE MOUNTED NO HIGHER THAN 48" ABOVE FINISHED FLOOR IN ORDER TO COMPLY WITH ADA REQUIREMENTS.
6. INSTALL FLOOR & OVERHEAD TRACKS IN CONT. BEAD OF ACOUSTICAL SEALANT. INSTALL ELEC. BOXES ON OPPOSITE SIDES OF WALL 24" APART MIN. INSTALL ACOUSTIC BATT INSULATION BETWEEN STUDS AS REQUIRED TO ACHIEVE STC RATING PER PARTITION SCHEDULE. INSULATE BETWEEN STUDS AND HOLLOW METAL FRAMES-TYP FOR ALL.
7. MAINTAIN FIRE RATING AT RECESSED PANELS AND CABINETS.
8. **CONTRACTOR SHALL NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES FOUND IN THE CONTRACT DOCUMENTS. WORK PERFORMED WITHOUT CLARIFICATION FROM ARCHITECT IS ENTIRELY AT CONTRACTOR'S RISK.**

SAFETY NOTICE TO CONTRACTOR


IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, THE CONTRACTOR WILL BE SOLELY AND COMPLETELY RESPONSIBLE FOR CONDITIONS OF THE JOBSITE, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY DURING PERFORMANCE OF THE WORK. THIS REQUIREMENT WILL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS.

THE DUTY OF THE ARCHITECT IS TO CONDUCT CONSTRUCTION OBSERVATION OF THE CONTRACTOR'S PERFORMANCE AND IS NOT INTENDED TO INCLUDE REVIEW OF THE ADEQUACY OF THE CONTRACTOR'S SAFETY MEASURES, IN, OR NEAR THE CONSTRUCTION SITE.

OWNERSHIP OF DOCUMENTS

THESE DOCUMENTS, AND THE DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICES, ARE THE PROPERTY OF FENNELL PURIFOY ARCHITECTS, PLC, AND ARE NOT TO BE USED IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT WRITTEN AUTHORIZATION OF FENNELL PURIFOY ARCHITECTS, PLC.

VICINITY MAP



FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736


REGISTERED ARCHITECTS — CHENAL PURIFOY — LL-2 — ARKANSAS
5.6.21

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022

REVISIONS:
90% ARCHITECTURAL CDS 06.08.2022


PROJECT INFO AND CODE RESEARCH
A0.1

6/7/2022 3:06:49 PM




FLOOR PLAN DEMOLITION NOTES
1. REMOVE ALL ITEMS SHOWN AS DASHED IN THEIR ENTIRETY.
2. REMOVE ALL FINISHES AND PREP SUBSTRATES TO RECEIVE NEW FINISHES AS SCHEDULED
3. REMOVE ALL CASEWORK AND MILLWORK
4. COORDINATE ANY ITEMS FOR SALVAGE WITH OWNER


1 FLOOR PLAN - DEMO
1/8" = 1'-0"



2 FLOOR PLAN - NEW CONSTUCTION
1/8" = 1'-0"




5 ROOF PLAN
1/8" = 1'-0"



RCP DEMOLITION NOTES
1. REMOVE ALL ITEMS SHOWN AS DASHED IN THEIR ENTIRETY.
2. REMOVAL ALL CEILINGS, SOFFITS, AND CEILING MOUNTED ITEMS,
3. REMOVE ALL FINISHES AND PREP SUBSTRATES TO RECEIVE NEW FINISHES AS SCHEDULED
4. COORDINATE ANY ITEMS FOR SALVAGE WITH OWNER

3 REFLECTED CEILING PLAN - DEMO
1/8" = 1'-0"



4 REFLECTED CEILING PLAN - NEW CONSTRUCTION
1/8" = 1'-0"

CEILING TYPES

- GYP - GYPSUM BOARD PAINT
- ACT 1 - 2X2 SUSPENDED ACOUSTICAL TILE
- ACT 2 - 2X2 SUSPENDED VINYL-COATED ACOUSTICAL TILE
- METAL - ACOUSTIC METAL CEILING

LIGHTING FIXTURE TYPES

- 12' LINEAR RECESSED
- 4' LINEAR RECESSED
- 2' LINEAR RECESSED
- 1'X4' SURFACE MOUNTED
- EXIT SIGN
- 2X2 LAY IN FIXTURE
- EXTERIOR WALL PACK
- 6" RECESSED CAN LIGHT
- 4" RECESSED CAN LIGHT

COLOR SCHEDULE:

PT-1 HEAVY TONED ACCENT COLOR

UNLESS OTHERWISE INDICATED ON FINISH PLAN, INTERIOR ELEVATIONS, OR RCP AS AN ACCENT COLOR, "GYPSUM BOARD, PAINT" SHALL REFER TO A LIGHT TONED FIELD COLOR

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022


REVISIONS:
90% ARCHITECTURAL CDS 06.08.2022

FLOOR PLANS
A1.0

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS · GENERAL · PRACTICE · No. LL-2 · ARKANSAS
5.6.21

6/7/2022 3:06:59 PM



Equipment Schedule A - Owner Provided (Diamond State) - contact Jimmy Hilpert						
Type Mark	Description	Manufacturer	Model	Count	Supply	Comments
A1	REACH IN DOORS	ANTHONY	INFINITY 090, 30"X75"	13	OFOI	SILL HEIGHT 6"
A2	COOLER ACCESS DOOR			1	OFOI	
A3	DISPLAY SHELVING			7		

Equipment Schedule B - Owner Provided (Tipton Equipment) - contact Tim Tipton (501-764-0300)						
Type Mark	Description	Manufacturer	Model	Count	Supply	Comments
B1	GONDOLA SHELVING UNITS			3	OF/OI	DES END CAPS; PROVIDE POWER AT FLOOR
B2	GONDOLA SHELVING UNITS			7	OF/OI	DES END CAPS; PROVIDE POWER AT FLOOR
B3	WIRE SHELVING	NEXEL	18487EP	4	OF/OI	
B4	WIRE SHELVING	NEXEL	18607EP	9	OF/OI	
B5	CIGARETTE DISPLAY RACK	HARBOR	3'	2	OF/OI	ADJUST TO 86" HIGH
B6	CBD RACK	HARBOR	3'	2	OF/OI	ADJUST TO 86" HIGH
B7	ICE MACHINE	HOSHIZAKI AMERICA	FD-650MAJ	1	OF/CI	
B8	BIB RACK	TAPRITE	3W INCLINED	2	OF/CI	
B9	WALL SHELF	BK RESOURCES	BKWS-1648	1	OF/CI	
B10	REFRIGERATED PIZZA PREP	TURBO AIR	TPR-67SD-N	1	OF/CI	
B11	WALL SHELF	BK RESOURCES	BKWS-1636	1	OF/CI	
B12	PIZZA OVEN	LINCOLN	DCTI-V	1	OF/CI	INCLUDE STAND
B13	WORK TABLE	BK RESOURCES	VTT-4830	1	OF/OI	
B14	COLD BREW DISPENSER	STOK	230	1	OF/CI	VERIFY POWER/WATER REQUIREMENTS WITH OWNER
B15	CAPPUCCINO MACHINE	CURTIS	PCGT5	1	OF/CI	VERIFY POWER/WATER REQUIREMENTS WITH OWNER
B16	TEA DISPENSER	TEARZZERS	SMARTBREW MACHINE	1	OF/CI	VERIFY POWER/WATER REQUIREMENTS WITH OWNER
B17	BEVERAGE DISPENSER	LANCER	44 SENSATION	1	OF/CI	
B18	CREAM DISPENSER	BSG	CREAM & SWEETENER STATION	1	OF/CI	BY GROCERY SUPPLY
B19	COFFEE MACHINE	SCHAERER	SCA 1	1	OF/CI	VERIFY POWER/WATER REQUIREMENTS WITH OWNER

Equipment Schedule E - Owner Provided (Other Third Party)						
Type Mark	Description	Manufacturer	Model	Count	Supply	Comments
E1	DIGITAL MENU BOARD SYSTEM	PSFBRANDS		2	OF/CI	44.2"X25.5"X3"
E2	LOTTO DISPLAY	-	-	5	OF/CI	BY LOCAL LOTTERY COMM.
E3	LOTTO EQUIPMENT	-	-	2	OF/CI	BY LOCAL LOTTERY COMM., INCLUDES: PRINTER, PHOTON, AND BARCODE READER
E5	ATM	GENMEGA	G2500	1		
E6	CO2 TANK	NUCO2	CARBO-MIZER 450	2	OF/CI	

Equipment Schedule F - Owner Provided (Coulson Oil)						
Type Mark	Description	Manufacturer	Model	Count	Supply	Comments
F1	CASH REGISTER CONSOLE			2	OF/OI	
F2	SAFE	TIDEL	GENERATION 4 STANDARD CASSETTE	1	OF/CI	
F5	LOCKING METAL CABINET			1	OF/OI	

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022

REVISIONS:

90% ARCHITECTURAL CDS
06.08.2022


EQUIPMENT PLAN
A1.1


FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS — CHARLES PURIFOY — No. LL-2 — ARKANSAS
5.6.21

6/7/2022 3:06:51 PM

TYPICAL TOILET ACCESSORY CLEARANCES AND HEIGHTS






ACCESSORY SCHEDULE

- A — 36" GRAB BAR
- B — 42" GRAB BAR
- C — 18" GRAB BAR
- D — TOILET PAPER DISPENSER, BY SOUTHEAST CHEMICAL (NIC)
- E — SANITARY NAPKIN DISPOSAL
- F — BABY CHANGING STATION
- G — 48"x48" FRAMELESS MIRROR
- H — PAPER TOWEL DISPENSER & TRASH RECEPTACLE
- J — NOT USED
- K — AUTOMATIC PAPER TOWEL DISPENSER, BY SOUTHEAST CHEMICAL (NIC)

ACCESSORY NOTES:


1. LAY OUT ACCESSORIES PRIOR TO INSTALLATION TO INDENIFY ANY CONFLICTS, NOTIFY ARCHITECT OF ANY CONFLICTS
2. PROVIDE APPROPRIATE BLOCKING PER MANUFACTURER'S INSTRUCTIONS, INCLUDING BLOCKING FOR ACCESSORIES THAT ARE NIC

1 ENLARGED BATHROOM PLAN
1/4" = 1'-0"



DIMENSION PLAN NOTES
1. ALL PARTITION TYPES TO BE P1A UNLESS NOTED OTHERWISE
2. ALL DIMENSIONS ARE TO FACE OF STUD

2 FLOOR PLAN - DIMENSION PLAN
1/4" = 1'-0"



3 CHECK OUT DESK
3/8" = 1'-0"

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736


REGISTERED ARCHITECTS — CHRIS PURIFOY — No. LL-2 — ARKANSAS
5.6.21

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022


REVISIONS:
90% ARCHITECTURAL CDS
06.08.2022

ENLARGED FLOOR PLAN
A3.0


6/7/2022 3:06:54 PM



2 OVERFLOW WALL SCUPPER
3" = 1'-0"



3 ROOF DETAIL
3" = 1'-0"



1 METAL PARAPET TYPICAL
3" = 1'-0"

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022


REVISIONS:
90% ARCHITECTURAL CDS
06.08.2022

ROOF DETAILS
A4.1


FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS — ARKANSAS — LL-2
5.6.21


6/7/2022 3:06:54 PM




1 SOUTH ELEVATION
1/8" = 1'-0"




2 EAST ELEVATION
1/8" = 1'-0"




3 NORTH ELEVATION
1/8" = 1'-0"



4 WEST ELEVATION
1/8" = 1'-0"



6 BUILDING SECTION B
1/8" = 1'-0"



5 BUILDING SECTION A
1/8" = 1'-0"

EXTERIOR PAINT COLORS
PT-EXT1: SHERWIN WILLIAMS 7017 DORIAN GRAY
PT-EXT2: SHERWIN WILLIAMS 7019 GAUNTLET GRAY

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736


REGISTERED ARCHITECTS — CHRIS PURIFOY — No. LL-2 — ARKANSAS
5.6.21

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022


REVISIONS:
90% ARCHITECTURAL CDS 06.08.2022

ELEVATIONS & BUILDING SECTIONS
A5.0


6/7/2022 3:06:56 PM



3 TYPICAL PARAPET
3/4" = 1'-0"



1 WALL SECTION 1
3/4" = 1'-0"



2 ROOF RAILING
1/4" = 1'-0"

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022

REVISIONS:


90% ARCHITECTURAL CDS
06.08.2022

WALL SECTIONS
A6.0


FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS · CHANEL · PURIFOY · No. LL-2 · ARKANSAS
5.6.21


6/7/2022 3:06:56 PM




1 SALES FLOOR SOUTH
1/4" = 1'-0"




2 CHECK OUT NORTH
1/4" = 1'-0"




3 CHECK OUT SOUTH
1/4" = 1'-0"




4 SALES FLOOR
1/4" = 1'-0"




5 SALES FLOOR WEST
1/4" = 1'-0"




6 SALES FLOOR NORTH
1/4" = 1'-0"




7 SALES FLOOR EAST
1/4" = 1'-0"




8 COOLER ENTRY
1/4" = 1'-0"




9 MEN'S SOUTH
1/4" = 1'-0"



10 MEN'S NORTH
1/4" = 1'-0"



11 WOMEN'S WEST
1/4" = 1'-0"



12 WOMEN'S NORTH
1/4" = 1'-0"

COLOR SCHEDULE:

PT-1 HEAVY TONED ACCENT COLOR

UNLESS OTHERWISE INDICATED ON FINISH PLAN, INTERIOR ELEVATIONS, OR RCP AS AN ACCENT COLOR, "GYPSUM BOARD, PAINT" SHALL REFER TO A LIGHT TONED FIELD COLOR

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022

REVISIONS:


90% ARCHITECTURAL CDS
06.08.2022

INTERIOR ELEVATIONS
A7.0

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS
CHARLES PURIFOY
No. LL-2
ARKANSAS
5.6.21

6/7/2022 3:06:37 PM




PARTITION TYPES

3/4" = 1'-0"


PARTITION NOTES:

1. CONCRETE BASE SHALL BE 3 1/2" TALL AND EQUAL THE WIDTH OF PARTITION FROM FINISH FACE TO FINISH FACE; WHERE TERRAZZO BASE IS SCHEDULED, SUBTRACT 3/8" FROM THE WIDTH OF THE CONCRETE BASE SO THAT THE TERRAZZO BASE IS FLUSH WITH THE FINISH FACE OF WALL




2 DOOR HEAD

1 1/2" = 1'-0"



1 DOOR JAMB

1 1/2" = 1'-0"



DOOR TYPES

1/4" = 1'-0"

FRAME TYPES

1/4" = 1'-0"

DOOR SCHEDULE

Mark	Type Mark	Frame Type	Head	Jamb	Door Width	Door Height	Comments	FRAME FINISH
001A	B	STOREFRONT	-	-	6' - 0"	7' - 0"	V.I.F. EXISTING STOREFRONT OPENING	-
001B	B	STOREFRONT	-	-	6' - 0"	7' - 0"	V.I.F. EXISTING STOREFRONT OPENING	-
002	A	1	2/A8.0	1/A8.0	3' - 0"	7' - 0"	PUNCH PAD LOCK	PT-1
003	A	1	2/A8.0	1/A8.0	3' - 0"	7' - 0"	STOREROOM	PT-1
004	A	1	2/A8.0	1/A8.0	3' - 0"	7' - 0"	PUNCH PAD LOCK	PT-1
005	A	1	2/A8.0	1/A8.0	3' - 0"	7' - 0"	PASSAGE	PT-2
005T	A	2	-	1/A8.0	3' - 0"	7' - 0"	PRIVACY, HINGE CONTROL NEEDED	PT-2
006	A	1	2/A8.0	1/A8.0	3' - 0"	7' - 0"	PASSAGE	PT-2
006AT	A	2	-	1/A8.0	3' - 0"	7' - 0"	PRIVACY, WALL STOP	PT-2
006BT	A	2	-	1/A8.0	2' - 6"	7' - 0"	PRIVACY, WALL STOP	PT-2

GLAZING TYPES:

GL-1 1" INSULATED TEMPERED GLAZING

GL-2 1" INSULATED GLAZING

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS — CHARLES PURIFOY — No. LL-2 — ARKANSAS — 5.6.21

ROAD RUNNER BRYANT - STORE #1043


23190 I-30, Bryant, AR 72022

REVISIONS:


90% ARCHITECTURAL CDS 06.08.2022

TYPES & SCHEDULES A8.0


6/7/2022 3:04:57 PM



2 RAIL DETAIL
1 1/2" = 1'-0"



3 TILE TO GYP
3" = 1'-0"



1 FINISH PLAN
3/16" = 1'-0"

FINISH SCHEDULE				
#	Name	Floor Finish	Base Finish	Wall Finish
001	SALES FLOOR	TERRAZZO TYPE 1 & 2	TERRAZZO	GYPSUM BOARD PAINT, SEE DRAWINGS FOR EXTENT OF CERAMIC TILE
002	KITCHEN	SEALED CONCRETE	RUBBER BASE	FRP
003	ELEC	SEALED CONCRETE	RUBBER BASE	GYPSUM WALL BOARD, PAINT
004	JAN. & STO.	SEALED CONCRETE	RUBBER BASE	GYPSUM BOARD PAINT, SEE DRAWINGS FOR EXTENT OF FRP
005	MEN'S	TERRAZZO TYPE 1	RUBBER BASE	CERAMIC TILE
006	WOMEN'S	TERRAZZO TYPE 1	TERRAZZO	CERAMIC TILE
007	COOLER	SEALED CONCRETE	-	-

KEY NOTES:

1 METAL TRANSITION STRIP, TYPE 1.
USE AT ALL OUTSIDE CERMIC TILE CORNERS UNLESS NOTED OTHERWISE

2 METAL TRANSITION STRIP, TYPE 2 (HEAVY DUTY)

FINISH SCHEDULE NOTES:

1. UNLESS OTHERWISE INDICATED ON FINISH PLAN, INTERIOR ELEVATIONS, OR RCP AS AN ACCENT COLOR, "GYPSUM BOARD, PAINT" SHALL REFER TO A LIGHT TONED FIELD COLOR
FIELD COLOR: SHERWIN WILLIAMS 7005 PURE WHITE

CERAMIC TILE
GYPSUM, PT-1: SHERWIN WILLIAMS 7017 DORIAN GRAY
GYPSUM, PT-2: SHERWIN WILLIAMS 6868 REAL RED

FLOOR TYPES

TER 1 - TERRAZZO TYPE 1


TER 2 - TERRAZZO TYPE 2

SC - SEALED CONCRETE


COLOR SCHEDULE:

PT-1 HEAVY TONED ACCENT COLOR


UNLESS OTHERWISE INDICATED ON FINISH PLAN, INTERIOR ELEVATIONS, OR RCP AS AN ACCENT COLOR, "GYPSUM BOARD, PAINT" SHALL REFER TO A LIGHT TONED FIELD COLOR




7 COOLER HEAD
3" = 1'-0" **USE AT HEAD OF COOLER DOORS**




4 TERRAZZO BASE DETAIL
3" = 1'-0" **USE AT ALL CERAMIC TILE WALLS WHERE TERRAZZO BASE IS INDICATED UNLESS NOTED OTHERWISE**



5 TERRAZZO BASE DETAIL
3" = 1'-0" **USE AT ALL GYPSUM WALLS WHERE TERRAZZO BASE IS INDICATED UNLESS NOTED OTHERWISE**



6 THRESHOLD DETAIL
1 1/2" = 1'-0" **USE AT ALL THRESHOLD LOCATIONS WITH TERRAZZO TO SEALED CONCRETE**



8 TERRAZZO BASE DETAIL
3" = 1'-0" **USE AT COOLER DOORS, REFER TO FINISH PLAN**

ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022

REVISIONS:

90% ARCHITECTURAL CDS 06.08.2022

FINISH PLAN, SCHEDULE, & DETAILS

A10.0

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS
ARKANSAS
No. LL-2
5.6.21

6/7/2022 3:06:57 PM









ROAD RUNNER BRYANT - STORE #1043
23190 I-30, Bryant, AR 72022

REVISIONS:

90% ARCHITECTURAL CDS
06.08.2022

INTERIOR VIEWS
A10.1

FENNELL | PURIFOY
ARCHITECTS
100 RIVER BLUFF DRIVE, SUITE 320 · LITTLE ROCK, AR 72202
T 501.372.6734 · F 501.372.6736

REGISTERED ARCHITECTS
LL-2
ARKANSAS
5.6.21

6/7/2022 3:07:08 PM